

Stock-pot stove G-1KB 1K2000



- ▶ For flexible use outside
- ✓ Operated with LPG



- ▶ Powerful
- ✓ 20 kW



- ▶ High load capacity
- ✓ 60 kg



- ▶ Large cooking area
- ✓ 600 mm
- ✓ Pot diameter: 400 - 600 mm

Description

Large and heavy pots, paella pans and cast iron frying pans are no challenge for this gas stool cooker. The particularly large cooking area, high load capacity and 20 kW power enable preparation of larger food quantities outdoors without any problems.

Features

- Gas type: Liquid gas
- Load-bearing capacity max.: 60 kg
- Material: Stainless steel
- Gas burner: Single burner
- Power: 20 kW
- Important information: A pressure reducer of max. 50 mbar is necessary
Can only be used outdoors
Delivery without gas connecting set
- Gas burner: Strong burner
- Operating mode: Gas
- Ignition type: Manual ignition
- Ignition guard: Yes
- Properties: Hob size: 600 mm
Pot diameter: 400 - 600 mm
- Pilot flame: Yes
- Number of hobs: 1
- Output hob(s) max.: 20000 W

▶ Continue on the next page

Stock-pot stove G-1KB 1K2000

- Control unit: Toggle
- Size: W 600 x D 620 x H 505 mm
- Weight: 22.6 kg



Stock-pot stove G-1KB 1K2000

Add on Products

Gas connection set GW-AI



- Suitable for commercial use: Yes
- Important information: -
- Can be used in: Inner and outer area
- Size: W 64 x D 61 x H 27 mm
- Weight: 1.3 kg

Code-No. 500180
GTIN 4015613586557

Paella pan STP600



- Roasting surface design: Steel, polished
Structured
- Diameter: 600 mm
- Diameter surface: 535 mm
- Height inside: 52 mm
- With handle(s): Yes
- Detachable handle: Yes

Code-No. A153260
GTIN 4015613696966

Paella pan STP550



- Roasting surface design: Steel, polished
Structured
- Diameter: 550 mm
- Diameter surface: 480 mm
- Height inside: 56 mm
- With handle(s): Yes
- Detachable handle: No

Code-No. A153255
GTIN 4015613696959

Paella pan STP460



- Roasting surface design: Steel, polished
Structured
- Diameter: 460 mm
- Diameter surface: 405 mm
- Height inside: 49 mm
- With handle(s): Yes
- Detachable handle: No

Code-No. A153246
GTIN 4015613696942