

Front cooking station KST3240 Eco



- ▶ Placement niche
 - ✓ Footprint: W 1,206 x D 600 mm
 - ✓ Designed for 2-3 table-top appliances
- ▶ 5 sockets
 - ✓ 3 x 230 V
 - ✓ 2 x 400 V 16A CEE
- ▶ Integrated ventilation
 - ✓ With stainless steel flame protection filter
 - ✓ With 3 different settings

Description

Simply perfect – a mobile solution for front cooking, catering and events. This unit can be flexibly equipped with the perfect table-top appliances and accessories for really versatile use. The appliances can be easily exchanged as needed to meet changing requirements.

Features

- Material: Stainless steel
- Designed for: 2-3 table-top units
- With glass top: Yes
- Important information: The connection cable must be attached by a specialist at the site
- Size glass superstructure: W 1684 x D 611 x H 470 mm
- Equipped with: 4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery
- Integrated electrical fuse
- Storage compartment below the setting niches, dimensions: W 1,180 x D 455 x H 221 mm
- Integrated ventilation with flame protection filter
- Type A
- 1
- W 1,206 x D 600 mm
- Activated carbon filter
- Wire mesh filter
- Silica gel filter
- Flame protection filter
- Flame protection filter:
- Number of niches:
- Dimensions of niche utility space:
- Filter type:

▶ Continue on the next page

Front cooking station KST3240 Eco

- Number of filters: 3
- Material filter: Stainless steel
- Fan regulation: 3-level
- Lighting: LED
- Swivel casters: On the germ guard
- ON/OFF switch: 4 swivel casters, 2 with brake
- Control lamp: Yes
- Not included in delivery: No
- Including: Electrical appliances
- Plug design: Platforms
- Equipment connection: Connection cable
- Power load: -
- Size: 3 x 230 V, 2 x 400 V 16A CEE
- Weight: 3 NAC
- Weight: 24 kW | 400 V | 50 Hz
- Weight: W 1,713 x D 845 x H 1,379 mm
- Weight: 180 kg



Front cooking station KST3240 Eco Add on Products

Electric range 650, B400, 2PL, TGOK



- Power load: 4,1 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 1 x 2,6 kW, 1 x 1,5 kW
- Height-adjustable feet: No
- Size hobs: 1 x Ø 220 mm, 1 x Ø 180 mm
- Properties: -

Code-No. 115006
GTIN 4015613697550

Deep fat fryer 650, B400, 10L, TGOK



- Grease collection tank: No
- Type: Table-top unit
- Material: CNS 18/10
- Size basket: W 163 x D 295 x H 110 mm
- Heating element in stainless steel: Yes
- Power load: 9 kW | 400 V | 50/60 Hz
- Series: 650 Snack

Code-No. 115214
GTIN 4015613697604

Neutral element 650, W400, TGOK



- Type: Table-top unit
- Series: 650 Snack
- Material: CNS 18/10
- Important information: Device without chimney - only suitable for use in the cooking station KST3240 Plus
- Size: W 400 x D 595 x H 330 mm
- Weight: 10.9 kg

Code-No. 115117
GTIN 4015613697598

Electric cooker 600 2PLTG



- Power load: 4 kW | 400 V | 50 Hz
- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Equipment connection: 2 NAC
- Height-adjustable feet: No
- Properties: -

Code-No. 131723
GTIN 4015613690094

Front cooking station KST3240 Eco

Add on Products

Cerane stove 600, 2 plates, TU



- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Power load: 4,3 kW | 400 V | 50/60 Hz
- Properties: -
- Equipment connection: 3 NAC
- Distribution of hobs: 1 x 2,5 kW, 1 x 1,8 kW

Code-No. 131800
GTIN 4015613418193

Griddle plate 600, B400, smooth



- Power load: 3,6 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Number of heating zones: 1
- Material roasting surface: Special steel, hard chrome-plated
- Size heating surface: W 390 x D 440 mm
- Roasting surface design: Smooth

Code-No. 132115
GTIN 4015613547572

Bain Marie 600, W400, TU



- Power load: 1,4 kW | 230 V | 50 Hz
- Type: Table-top unit
- Number of tanks: 1
- Water drain tap: Yes
- Water supply tap: No
- Including: -

Code-No. 131760
GTIN 4015613310084

Griddle plate GDP 320E-G



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. A370031
GTIN 4015613370545

Front cooking station KST3240 Eco

Add on Products

Griddle plate GDP 320E-R



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. 370035
GTIN 4015613610894

Multi-fryer 300



- Type: Table-top unit
- Power load: 3 kW | 230 V | 50-60 Hz
- Grease release tap: Yes
- Grease collection tank: No
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C
- Series: -

Code-No. 370205
GTIN 4015613653488

Induction wok IW 35 PRO-2



- Material: Stainless steel
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Can be installed: No
- Important information: -
- Equipment connection: Pluggable
- Control unit: Touch Electronic

Code-No. 105732
GTIN 4015613706498

Induction wok 3kW, TU




- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Control lamp: -

Code-No. 105840
GTIN 4015613468235

Front cooking station KST3240 Eco

Add on Products

Induction wok 30/293



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -

Code-No. 105871
GTIN 4015613712635

Induction wok 35/293



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Overheating protection: Yes
- Digital display: Yes

Code-No. 105872
GTIN 4015613712642

Countertop electric hob 1K2300 GL



- Material: CNS 18/10
- Important information: The platform 200 KST3240 Plus is required for use in the cooking station KST3240 Plus
- Power load: 2,3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle

Code-No. 104904
GTIN 4015613390352

Countertop electric hob 1K3000 GL



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Control lamp: yes
- Size cerane surface: W 350 x D 350 mm

Code-No. 104906
GTIN 4015613432540

Front cooking station KST3240 Eco

Add on Products

Induction cooker IK 30TC-1



- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991
GTIN 4015613698946

Induction cooker IK 30TCS-1



- Intervals time setting: 1 minute / 10 minutes
- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991S
GTIN 4015613714882

Induction cooker IK 35TC



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 105843
GTIN 4015613633329

Induction cooker IK 35TCS



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 105843S
GTIN 4015613638300

Front cooking station KST3240 Eco

Add on Products

Induction cooker IK 35SK 3,5kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1

Code-No. 105837
GTIN 4015613520643

Table top induction stove ITH 35S-220



- Diameter hob(s): 220 mm
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Control lamp: -
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm

Code-No. 105984
GTIN 4015613676623

Induction stove ITH 35-265



- Diameter hob(s): 265 mm
- Output hob(s) max.: 3500 W
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1

Code-No. 105994
GTIN 4015613712680

Induction wok IW35



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Touch Electronic
- Series: -

Code-No. 105986
GTIN 4015613680217

Front cooking station KST3240 Eco

Add on Products

GN container, 1/9 GN, D100

CNS
18/10



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A129100
GTIN 4016098169198

Lid 1/9 GN, Basic Line

CNS



- Spoon recess: No
- Silicone seal: No
- Surface: Silk matt
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel

Code-No. 711319
GTIN 4015613695990

Lid 1/9GN

CNS
18/10



- Spoon recess: No
- Silicone seal: No
- Surface: High-gloss
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A120649
GTIN 4016098169204

Platform 100 KST Plus

CNS
18/10



- Material: CNS 18/10
- Important information: Designed for KST Plus / KST Eco cooking stations
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.1 kg

Code-No. 107276
GTIN 4015613682549