

## Pass-through dishwasher DS 500



- ▶ Output / hour max.: 60 baskets
- ▶ Run-time: 60 / 120 / 180 seconds



- ▶ Lift system ELS
  - ✓ Patented lift system
  - ✓ Little force required and more safety



### Description

Hygienic and economic – the optimised feed-through dishwasher stands out thanks to its innovative drainage system, an energy-saving boiler system, efficient DuoFlo pump and smooth-running lift system.

### Features

• Plate height max.:	440 mm
• Not included in delivery:	Feed/removal table, pre-cleaning
• Power load:	6,7 kW   400 V   50 Hz
• Equipment connection:	3 NAC
• Boiler heater:	6 kW
• Tank heater:	2,5 kW
• Water outlet:	Ø 28 mm
• Dry-run protection:	Yes
• ON/OFF switch:	Yes
• Lye pump:	No
• Water softener:	No
• Clear rinsing dosing pump:	Yes
• Door contact switch:	Yes
• Cleaning agent dosing pump:	No
• Basket dimensions:	500 x 500 mm
• Run-time:	60 / 120 / 180 seconds
• Output / hour max.:	60 baskets



- ▶ DuoFlo pumps (slight pump loss)
- ▶ Energy-Saving-System (Boiler activity only when necessary)
- ▶ EDS drain system
- ▶ Flat tank with large filter screen
  - ✓ Double-walled tank

▶ Continue on the next page

## Pass-through dishwasher DS 500

- Self-cleaning: No
- Cold rinsing: No
- Double-walled: No
- Tank volume: 22 litre(s)
- Water pressure: 2 - 4 bar
- Water supply: G 3/4"
- Material: CNS 18/10
- Important information: -
- Height adjustable: 1535 mm to 1600 mm
- Safety thermostat: Yes
- Glasses height max.: 440 mm
- Height when hood is open: 2055 - 2120 mm
- Height-adjustable feet: Yes
- Control lamp: ON/OFF
- Heat up
- Draining
- Programs I / II / III / continuous operation
- Automatic
- 4
- 55 °C
- 2.4 litres / wash cycle
- Lift system ELS (maximum lifting system with little effort)
- DuoFlo pump (less pump loss)
- Energy-Saving-System (boiler is only active when necessary)
- EDS drain system
- Flat tank with large filter
- Inline or corner installation
- Double-walled tank
- Yes
- 1 universal basket
- 2 plate baskets
- 1 cutlery holder
- Spare sealing ring supply hose
- 1 water outlet hose
- 1 water supply hose
- W 725 x D 955 x H 1,535 mm
- 98.5 kg



## Pass-through dishwasher DS 500

### Add on Products

#### Universal basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Glasses  
Cups

Code-No. 5301  
GTIN 4015613653952

#### Cutlery basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery
- Important information: -

Code-No. 5302  
GTIN 4015613653969

#### Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays  
Plates

Code-No. 5303  
GTIN 4015613653976

#### Cutlery holder, 8 compartments



- Material: Plastic
- Stackable: Yes
- Important information: -
- Properties: -
- Basket size: 430 x 210 mm
- Number of shelves: 8
- Colour: Brown

Code-No. 5305  
GTIN 4015613653990

## Pass-through dishwasher DS 500

### Add on Products

#### Dishwasher basket, 16 comp.



Abbildung ähnlich

- Compartment size: 111 x 111 mm
- Inside height: 123 mm
- Material: Plastic
- Important information: -
- Stackable: Yes
- Properties: -
- Basket size: 500 x 500 mm

Code-No. 5318  
GTIN 4015613654669

#### Dishwasher basket, 25 comp.



Abbildung ähnlich

- Compartment size: 89 x 89 mm
- Inside height: 166 mm
- Material: Plastic
- Important information: -
- Stackable: Yes
- Properties: -
- Basket size: 500 x 500 mm

Code-No. 5328  
GTIN 4015613654768

#### Dishwasher basket, 36 comp.



Abbildung ähnlich

- Compartment size: 73 x 73 mm
- Inside height: 207 mm
- Material: Plastic
- Important information: -
- Stackable: Yes
- Properties: -
- Basket size: 500 x 500 mm

Code-No. 5340  
GTIN 4015613654836

#### Detergent metering pump LWG600



- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set
- Material: Plastic

Code-No. 109547  
GTIN 4015613506517

## Pass-through dishwasher DS 500

### Add on Products

#### Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel  
Microfibre

Code-No. 109470  
GTIN 4015613455624

#### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031  
GTIN 4015613360195

#### Dishwasher basket trolley ASP700



- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm
- Worktop surface: No
- Properties: Frame in square tubing 25 x 25 mm  
One basket guard each on the front and back
- Including: -
- Model: Slots

Code-No. 300147  
GTIN 4015613709178

#### Pre-clearing table DS-R1BAS



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Left
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 109743  
GTIN 4015613735979

## Pass-through dishwasher DS 500

### Add on Products

#### Discharge table DS-700R

STAINLESS  
STEEL



- Height adjustable: 860 mm to 930 mm
- Base shelf: Yes
- Splash protection: yes
- Height of splash protection: 110 mm
- Assembly side on dishwasher: Right
- With waste chute: No
- With sink: No

Code-No. 109746  
GTIN 4015613730394

#### Pre-clearing table DS-LI1B

STAINLESS  
STEEL



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Right
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 109740  
GTIN 4015613735955

#### Pre-clearing table DS-R1B

STAINLESS  
STEEL



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Left
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 109741  
GTIN 4015613735962

#### Pre-clearing table DS-LI1BAS

STAINLESS  
STEEL



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Right
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 109742  
GTIN 4015613730387

## Pass-through dishwasher DS 500

### Add on Products

#### Discharge table DS-700LI



- Height adjustable: 860 mm to 930 mm
- Base shelf: Yes
- Splash protection: yes
- Height of splash protection: 110 mm
- Assembly side on dishwasher: Left
- With waste chute: No
- With sink: No

Code-No. 109745  
GTIN 4015613735986

#### Discharge table DS-1200R



- Height adjustable: 860 mm to 930 mm
- Base shelf: Yes
- Splash protection: yes
- Height of splash protection: 110 mm
- Assembly side on dishwasher: Right
- With waste chute: No
- With sink: No

Code-No. 109749  
GTIN 4015613735993

#### Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres

Code-No. 173272  
GTIN 4015613767901

#### Pre-clearing table DS-LI1B SKE



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Right
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 109940  
GTIN 4015613771007

## Pass-through dishwasher DS 500

### Add on Products

#### Pre-clearing table DS-RE1B SKE



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Left
- Water outlet: 1 1/2"

Code-No. 109960  
GTIN 4015613785158

#### Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water connection: 3/4"
- Material: Plastic
- Water intake temperature to: 35 °C
- Colour: White
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952  
GTIN 4015613797762

#### Water softening system WEH1500



- Material: Plastic
- Water intake temperature from: 1 °C
- Water connection: 3/4"
- Colour: Grey
- Important information: -
- Water intake temperature to: 30 °C
- Connection capacity: 1 unit

Code-No. 109901  
GTIN 4015613800974

#### Drain pump set LPS50-1



- Material: Plastic
- Set comprises: Connection hoses  
1 pump
- Power load: 0,04 kW | 230 V | 50 Hz
- Designed for: Pass-through dishwasher DS 500 SR  
Pass-through dishwasher DS 500
- Important information: -

Code-No. 109347  
GTIN 4015613878355