

## Refrigerated counter S2T2-150 MA



- ▶ Constant, even refrigeration temperature inside
  - ✓ Cooling: Circulating air
  - ✓ Temperature control in 0.1°C steps
- ▶ Two doors
  - ✓ Standard format cupboards: 1/1 GN
  - ✓ Height of shelves can be adjusted
- ▶ Two drawers
  - ✓ Refrigerated
  - ✓ Gastronorm: 1/1 GN
  - ✓ Max. depth of GN containers: 150 mm
- ▶ With upturned edge
  - ✓ 50 mm

### Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this double-door, two-drawer refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

### Features

• Material:	Chrome-nickel steel
• Power load:	0,452 kW   230 V   50 Hz
• Width drawer:	299 mm
• Important information:	-
• Depth drawer:	572 mm
• Height drawer:	190 mm
• Height-adjustable feet:	Yes
• Door hinge side:	Left / right
• Temperature range:	0 °C to 10 °C
• Door hinge side can be changed:	Yes
• Type of door:	Leaf door(s)
• Temperature control:	Electronic In 0.1 °C steps
• Size Cupboard:	W 335 x D 570 x H 554 mm
• Control unit:	Knob Electronic
• Control lamp:	ON/OFF

▶ Continue on the next page

## Refrigerated counter S2T2-150 MA



• Height adjustable:	850 mm to 900 mm
• Cupboards refrigerated:	Yes
• Drawers refrigerated:	Yes
• Tilting:	50 mm
• Norm-format drawers:	1/1 GN
• GWP:	3
• Norm-format cabinets:	1/1 GN
• Climate class:	4
• Number of drawers:	2
• Distance between trays:	70 mm
• Energy efficiency class:	C (EU No. 2015 / 1094)
• Number of drawers:	2
• Energy consumption:	1095 kWh / an
• Cooling:	Circulating air
• Number of doors:	2
• Coolant:	R600a / 0,064 kg
• Number of cupboards:	2
• Digital display:	Yes
• Height-adjustable drawers:	Yes
• Depth GN container max.:	150 mm
• Drip water evaporation:	Yes
• ON/OFF switch:	Yes
• Thermostat:	Yes
• Material work surface:	Stainless steel
• Including:	2 grids (W 325 x D 530 x H 10 mm)
• Available on request:	Refrigerated counter with swivel castors Refrigerated counter with glass-doors
• Size:	W 1,792 x D 700 x H 850 mm
• Weight:	132 kg

## Refrigerated counter S2T2-150 MA

### Add on Products

#### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031  
GTIN 4015613360195

#### Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276  
GTIN 4015613773339