


## Dishwasher US P500 LPR



- ▶ Output/h: Up to 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds



- ▶ Soft start washing pump
  - ▶ Detachable rinsing nozzles
  - ▶ Narrow mesh stainless steel sieve
- 
- ▶ Double-walled
  - ▶ Can be fitted below the counter
- 
- ▶ We recommend a hot water connection.

### Description

4 wash programs, removable rinsing nozzles, a double-walled design, a narrow mesh stainless steel sieve, and a gentle startup thanks to a soft-start washing pump – features that make this dishwasher, which can also be installed under a work surface, truly impressive.



### Features

|                                    |                         |
|------------------------------------|-------------------------|
| • Plate height max.:               | 340 mm                  |
| • Door double-walled:              | Yes                     |
| • Can be fitted below the counter: | Yes                     |
| • Glasses height max.:             | 325 mm                  |
| • Power load:                      | 5,15 kW   400 V   50 Hz |
| • Equipment connection:            | 3 NAC                   |
| • Boiler heater:                   | 4,5 kW                  |
| • Tank heater:                     | 2,7 kW                  |
| • Dry-run protection:              | Yes                     |
| • Control lamp:                    | -                       |
| • ON/OFF switch:                   | Yes                     |
| • Lye pump:                        | Yes                     |
| • Water softener:                  | No                      |
| • Clear rinsing dosing pump:       | Yes                     |
| • Door contact switch:             | Yes                     |
| • Safety thermostat:               | Yes                     |
| • Cleaning agent dosing pump:      | Yes                     |

▶ Continue on the next page

## Dishwasher US P500 LPR



- Basket dimensions: 500 x 500 mm
- Run-time: 60 / 90 / 120 / 180 seconds
- Output / hour max.: 60 baskets
- Self-cleaning: Yes
- Cold rinsing: No
- Double-walled: Yes
- Tank volume: 16,5 litre(s)
- Water pressure: 2 - 4 bar
- Water supply: G 3/4" M
- Water outlet: Ø 24 mm
- Water intake temperature: 55 °C
- Number of wash programs: 4
- Material: CNS 18/10
- Important information: We recommend a warm water connection
- Properties: Narrow mesh stainless steel sieve  
Soft-start washing pump  
Removable rinsing nozzles
- Display: Boiler temperature  
Programme code  
Tank temperature
- Including: 1 universal basket  
1 plate basket  
1 cutlery holder  
1 supply hose  
1 drainage hose
- Water consumption at 2 bar: 2.3 litres / wash cycle
- Size: W 600 x D 640 x H 850 mm
- Weight: 67.2 kg

## Dishwasher US P500 LPR

### Add on Products

#### Glass polisher



STAINLESS  
STEEL



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel  
Microfibre

Code-No. 109470  
GTIN 4015613455624

#### Full desalination system VK 500 FB



- Desalination type: Full desalination
- Water connection: 3/4"
- Material: Plastic  
Glass-fibre reinforced
- Colour: Blue
- Important information: -
- Sampling tap: Yes

Code-No. 109877  
GTIN 4015613681580

#### Water softening system WEH1350



- Water intake temperature from: 5 °C
- Water connection: 3/4"
- Material: Plastic
- Water intake temperature to: 40 °C
- Colour: Grey
- Important information: -

Code-No. 109889  
GTIN 4015613615158

#### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031  
GTIN 4015613360195

## Dishwasher US P500 LPR Add on Products

### Dishwasher cleaner F10L



- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -

Code-No. 173270  
GTIN 4015613773315

### Dishwasher cleaner F10LXTRA



- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: Yes
- Including: -

Code-No. 173271  
GTIN 4015613767895

### Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres

Code-No. 173272  
GTIN 4015613767901

### Dishwasher basket trolley ASP700



- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm
- Worktop surface: No
- Properties: Frame in square tubing 25 x 25 mm  
One basket guard each on the front and back
- Including: -
- Model: Slots

Code-No. 300147  
GTIN 4015613709178

## Dishwasher US P500 LPR

### Add on Products

#### Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water connection: 3/4"
- Material: Plastic
- Water intake temperature to: 35 °C
- Colour: White
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952  
GTIN 401561379762


#### Dishwasher base



- Height adjustable: 440 mm to 490 mm
- Height-adjustable feet: Yes
- Material: Chrome-nickel steel
- Important information: -
- Base shelf: No
- Inside height: 360 mm
- Colour: Silver

Code-No. 109688  
GTIN 4015613602462

#### Reusable cup basket 500x500x235



- Material: Steel  
Coated
- Inside height: 190 mm
- Compartment size: 90 x 90 mm
- Important information: -
- Stackable: No

Code-No. 109330  
GTIN 4015613836584

#### Water softening system WEH1500



- Material: Plastic
- Water intake temperature from: 1 °C
- Water connection: 3/4"
- Colour: Grey
- Important information: -
- Water intake temperature to: 30 °C
- Connection capacity: 1 unit

Code-No. 109901  
GTIN 4015613800974

## Dishwasher US P500 LPR

### Add on Products

#### Basket for glasses 500x500x205



- Inside height: 200 mm
- Material: Steel  
Coated
- Stackable: No
- Important information: -
- Basket size: 500 x 500 mm
- Number of shelves: 4

Code-No. 109331  
GTIN 4015613854502