

## Combi steamer Silversteam2 5230M



### Description

The ideal partner for every kitchen: A Bartscher Silversteam2 combi-steamer with five 2/3 GN inserts. For convection cooking, steaming, combi-steaming and low-temperature cooking, the manual controls enable the easy, demand-based regulation of all cooking processes – with or without a core temperature sensor as desired.

### Features

- Material: CNS 18/10
- Material cooking chamber: CNS 18/10
- Power load: 3,3 kW | 230 V | 50 Hz
- Important information: From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Format drawers: 2/3 GN
- Equipment connection: Pluggable
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm
- Functions: Combi-steaming  
Low temperature cooking  
Circulating air  
Steam  
Steam production by means of direct injection  
Reversing motor direction (fan wheels)
- Cooking mode: -

▶ Continue on the next page



- ▶ Up to 5 x 2/3 GN
- ▶ Easy knob control



- ▶ Double door glazing, inner door can be opened easily for cleaning



- ▶ Vapour extractor is easy to regulate



- ▶ Removable support rails



- ▶ 2 air speed settings

## Combi steamer Silversteam2 5230M

• Rack control:	No
• With cleaning system:	No
• Number of cooking programs:	1
• Number of cooking phases:	1
• Temperature range:	50 °C to 280 °C
• Temperature control:	Stepless
• Number of fans:	1
• Fan speed:	2 levels
• Time adjustment:	0 to 120 minutes
• Continuous operation:	Yes
• Core temperature sensor connection:	Side
• USB connection:	-
• Vapour extractor:	Yes
• Water connection:	3/4"
• Interior lighting:	Yes
• LED display:	Temperature Steaming Core temperature Time
• Control unit:	Toggle
• Control lamp:	ON/OFF Temperature
• Series:	Silversteam2
• Operating mode:	Electro
• Properties:	Bearing rails can be detached Pluggable Double-winged door pane Rounded cooking chamber LED lighting in door
• Including:	1 grid 2/3 GN 1 tray 2/3 GN 1 water supply hose
• Available on request:	-
• Size:	W 630 x D 730 x H 670 mm
• Weight:	58.2 kg



## Combi steamer Silversteam2 5230M

### Add on Products

#### GN-container, 2/3 GN,D20, Basic Line

CNS



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Gastronorm: 2/3 GN
- Norm: EN 631

Code-No. 723020  
GTIN 4015613695624

#### GN-container, 2/3GN,D65, Basic Line

CNS



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Gastronorm: 2/3 GN

Code-No. 723065  
GTIN 4015613695648

#### GN-container, 2/3GN,D100, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 2/3 GN

Code-No. 723100  
GTIN 4015613695655

#### GN container, 2/3, D65, perforated

CNS  
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A103065  
GTIN 4015613278940

## Combi steamer Silversteam2 5230M

### Add on Products

#### GN container, 2/3, D65

CNS  
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A125065  
GTIN 4015613271217

#### GN container, 2/3, D100

CNS  
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A125100  
GTIN 4015613271224

#### GN tray 2/3

CNS  
18/10



- Gastronorm: 2/3 GN
- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm

Code-No. A101195  
GTIN 4015613271781

#### Perforated tray 2/3-AL



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100417  
GTIN 4015613734729

## Combi steamer Silversteam2 5230M

### Add on Products

#### Perforated tray 2/3-SI



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100425  
GTIN 4015613734736

#### BBQ Gloves 425



- Material: Aramid  
Silicone print

Code-No. A500514  
GTIN 4015613822433

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511  
GTIN 4015613735474

#### Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278  
GTIN 4015613773346

## Combi steamer Silversteam2 5230M

### Add on Products

#### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280  
GTIN 4015613773353

#### Pressure regulator



- Material: Brass  
Chrome-plated
- Important information: -
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar

Code-No. 533051  
GTIN 4015613468617

#### Base unit Silversteam 230

CNS



- Material: Chrome-nickel steel
- Designed for: 2/3 GN combi-steamers Silversteam2 series  
2/3 GN combi-steamers Silversteam series
- Important information: -
- Colour: Silver
- Base shelf: Yes
- Height-adjustable feet: No

Code-No. 115075  
GTIN 4015613610641

#### Core temperature sensor set SST2-M1P



- Designed for: Manual electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Important information: -
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm
- Number of measuring points: 1

Code-No. 116108  
GTIN 4015613868523

## Combi steamer Silversteam2 5230M

### Add on Products

#### Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"

Code-No. 116005  
GTIN 4015613587189

#### Pump set f. combi steamer



- Material: Plastic  
Metal
- Important information: -

Code-No. 116011  
GTIN 4015613595146

#### Smoker-Box 1160



- Material: Stainless steel
- Model: With heating coil
- Designed for: Combined steamer
- Important information: Maximum smoking temperature: 200 °C
- Comprising: Mains adapter  
Smoker-Box
- Volume: 1,16 litre(s)

Code-No. 117712  
GTIN 4015613779195