

Combi steamer Silversteam2 5110D



Description

The ideal partner for every kitchen: A Bartscher Silversteam2 combi steamer with five 1/1 GN inserts. With or without a core temperature sensor, the electronic controls enable the demand-based regulation of all cooking processes. The rack control function allows different foods to be prepared at different times. The Silversteam2 takes a weight off your shoulders and keeps an eye on everything for you.

Features

- Material: CNS 18/10
- Material cooking chamber: CNS 18/10
- Power load: 6,3 kW | 400 V | 50 Hz
- Important information: From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Format drawers: 1/1 GN
- Equipment connection: 600 x 400 mm
- Type of drawers: 3 NAC
- Number of drawers: Crosswise
- Distance between trays: 5
- Distance between trays: 74 mm

▶ Continue on the next page



- ▶ Up to 5 x 1/1 GN
- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- ▶ Rack control
 - ✓ To enable the selection of a program for each shelf
- ▶ Cooldown during cooking phase



- ▶ Double door glazing, inner door can be opened easily for cleaning
- ▶ Vapour extractor is easy to regulate



- ▶ Removable support rails

Combi steamer Silversteam2 5110D



- Functions:
 - Reversing motor direction (fan wheels)
 - Circulating air
 - Combi-steaming
 - Low temperature cooking
 - Steam production by means of direct injection
 - Steam
 - Delta-T cooking
 - Cooldown during cooking phase
 - Manual steaming
- Cooking mode:
 - Recipe tuner
 - One-touch recipe selection
 - Manual
- Rack control:
 - Yes
- With cleaning system:
 - No
- Number of cooking programs:
 - 300 pre-installed programs
 - 300 configurable programs
- Number of cooking phases:
 - 9
- Temperature range:
 - 50 °C to 300 °C
- Temperature control:
 - In 1 °C steps
- Number of fans:
 - 1
- Fan speed:
 - 3 levels
- Time adjustment:
 - 0 to 5999 minutes
- Continuous operation:
 - Yes
- Core temperature sensor connection:
 - Front, bottom
- USB connection:
 - Front, bottom
- Vapour extractor:
 - Yes
- Water connection:
 - 3/4"
- Interior lighting:
 - Yes
- LED display:
 - Core temperature
 - Temperature
 - Time
 - Program
 - Delta-T cooking
 - Cooking phases
 - Steaming
 - Fan speed
 - Touch
- Control unit:
 - Touch
- Control lamp:
 -
- Series:
 - Silversteam2
- Operating mode:
 - Electro
- Properties:
 - Double-winged door pane
 - Socket (500 W) for connection of an extractor hood
 - Rounded cooking chamber
 - Bearing rails can be detached
 - LED lighting in door
- Including:
 - 1 tray 1/1 GN
 - 1 water supply hose
 - 1 grid 1/1 GN
- Available on request:
 -
- Size:
 - W 905 x D 850 x H 670 mm
- Weight:
 - 88.66 kg

Combi steamer Silversteam2 5110D

Add on Products

Base unit Silversteam 110

CNS 18/10




- Number of drawers: 10
- Material: CNS 18/10
- Designed for: 1/1 GN combi-steamers Silversteam2 series
1/1 GN combi-steamers Silversteam series
- Format drawers: 1/1 GN
- Important information: -
- Colour: Silver

Code-No. 115069
GTIN 4015613602486

Base unit Silversteam2 6040

CNS 18/10



- Material: CNS 18/10
- Number of drawers: 10
- Colour: Silver
- Important information: -
- Format drawers: 1/1 GN
600 x 400 mm
- Designed for: 1/1 GN combi-steamers Silversteam2 series

Code-No. 115089
GTIN 4015613877730

Base unit Silversteam 2-110

CNS



- Number of drawers: 6
- Material: Chrome-nickel steel
- Designed for: 1/1 GN combi-steamers Silversteam2 series
1/1 GN combi-steamers Silversteam series
- Format drawers: 1/1 GN
- Important information: -
- Colour: Silver

Code-No. 115071
GTIN 4015613617589

Core temperature sensor set SST2-D1P



- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Important information: -
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm
- Number of measuring points: 1

Code-No. 116109
GTIN 4015613866697

Combi steamer Silversteam2 5110D

Add on Products

Core temperature sensor set SST2-D4P



- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Important information: -
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 90 mm
- Diameter temperature sensor: 4 mm
- Number of measuring points: 4

Code-No. 116113
GTIN 4015613877747

Connection kit Silversteam2



- Material: Stainless steel
- Designed for: Electric 1/1 GN combi-steamers from the Silversteam2 series
- Important information: -
- Combination possibilities: 5 x 1/1 GN to 5 x 1/1 GN
5 x 1/1 GN to 7 x 1/1 GN
- Size frame: W 905 x D 620 x H 115 mm

Code-No. 116112
GTIN 4015613866703

Guiding rails 6040 SST2-5110



- Material: CNS 18/10
- Designed for: 5 x 1/1 GN combi-steamers in the Silversteam2 series
- Format drawers: 600 x 400 mm
- Important information: -
- Distance between trays: 90 mm
- Number of drawers: 4

Code-No. 117151
GTIN 4015613866666

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"

Code-No. 116005
GTIN 4015613587189

Combi steamer Silversteam2 5110D

Add on Products

Extractor hood Silversteam2



- Material: Stainless steel
- Operating mode: Exhaust air
- Number of fan motors/exhaust air outputs: 1
- Material filter: Stainless steel
- Important information: -

Code-No. 116116
GTIN 4015613866710

Condensation hood Silversteam2



- Material: Stainless steel
- Operating mode: Exhaust air
- Number of fan motors/exhaust air outputs: 1
- Important information: -
- Material filter: Stainless steel

Code-No. 116119
GTIN 4015613866727

Pump set f. combi steamer



- Material: Plastic
Metal
- Important information: -

Code-No. 116011
GTIN 4015613595146

Smoker-Box 1160



- Material: Stainless steel
- Model: With heating coil
- Designed for: Combined steamer
- Important information: Maximum smoking temperature: 200 °C
- Comprising: Mains adapter
Smoker-Box
- Volume: 1,16 litre(s)

Code-No. 117712
GTIN 4015613779195

Combi steamer Silversteam2 5110D

Add on Products

Pressure regulator



- Material: Brass
Chrome-plated
- Important information: -
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar

Code-No. 533051
GTIN 4015613468617

GN-container, 1/1GN,D20, Basic Line

CNS



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Norm: EN 631

Code-No. 711020
GTIN 4015613695556

GN-container, 1/1GN,D65, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Gastronorm: 1/1 GN

Code-No. 711065
GTIN 4015613695587

GN-container, 1/1GN,D100, Basic Line

CNS



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 1/1 GN

Code-No. 711100
GTIN 4015613695594

Combi steamer Silversteam2 5110D

Add on Products

GN container, 1/1, D20

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm
- Gastronorm: 1/1 GN

Code-No. A121025
GTIN 4016098166722

GN container, 1/1, D65

CNS 18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065
GTIN 4016098162755

GN container, 1/1, D200

CNS 18/10




- Content: 28 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 200 mm

Code-No. A121200
GTIN 4015613271071

GN grid 1/1, SS

CNS 18/10



- Material: CNS 18/10
- Important information: -
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091
GTIN 4016098175250

Combi steamer Silversteam2 5110D

Add on Products

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743

Tray 1/1GN, 20 mm


CNS
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101185
GTIN 4015613271729

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427
GTIN 4015613734750

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428
GTIN 4015613734767

Combi steamer Silversteam2 5110D

Add on Products

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Cooking basket 110

STAINLESS
STEEL



- Gastronorm: 1/1 GN
- Size basket: W 490 x D 275 x H 50 mm
- Content: 7 litre(s)
- Material: Stainless steel
- Important information: -
- Size: W 536 x D 326 x H 61 mm
- Weight: 1.1 kg

Code-No. 900300
GTIN 4015613788111

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 1 mm

Code-No. 150687
GTIN 4015613711423

BBQ Gloves 425



- Material: Aramid
Silicone print

Code-No. A500514
GTIN 4015613822433

Combi steamer Silversteam2 5110D

Add on Products

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511
GTIN 4015613735474

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278
GTIN 4015613773346

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280
GTIN 4015613773353

Perforated tray 600x400-ALB



- Perforation: Yes
- Material: Aluminium
Non stick coating
- Material thickness: 2 mm
- Important information: -
- Edge: 4 sides
- Silicone coating: No

Code-No. 100438
GTIN 4015613863504

Combi steamer Silversteam2 5110D

Add on Products


Baking tray 600x400-ALB



- Material: Aluminium
Non stick coating
- Perforation: No
- Material thickness: 2 mm
- Important information: -
- Edge: 4 sides
- Silicone coating: No

Code-No. 100439
GTIN 4015613863511

Grill plate EGR60400



- Material: Coated
Cast aluminium
- Properties: Useable on both sides
- Model: 1 side grooved
Rectangular
1 side smooth

Code-No. 100437
GTIN 4015613863481