

Automatic coffee machine KV1 Classic



Description

Enjoy perfect coffee specialities at the push of a button. Espresso, cappuccino, latte macchiato, hot water or milk - up to 6 different beverages can be individually set. With its particularly large bean and residues container, the coffee machine is also ideally suited for larger coffee quantities and thus for use in cafés, breakfast rooms and offices.

Features

- Material: Plastic
- Control lamp: ON/OFF
- Colour: Black
Silver
- ON/OFF switch: Yes
- Brewing group(s): 1
- Important information: A pressure reducer is required from a water pressure of 3 bar
This coffee machine has wearing parts
Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks
Brewing unit: 50,000 poured drinks
Pump, Drainage valve, grinding mechanism and seals: 25,000 poured drinks
- Design: Complete machine
- Minimum brewing quantity: 25 ml
- Designed for: 80 cups / day

▶ Continue on the next page



- ▶ Max. output.: 60 cups of 120 ml / hour (double cup outlet)
- ▶ Residues container capacity: Approx. 35 cups



- ▶ 6 programs, individually adjustable
- ▶ Cup counter
- ▶ Hot water function
- ▶ Decalcification signal



- ▶ Height-adjustable outlet



- ▶ Milk frother
- ✓ Milk supply: Tube
- ▶ Fixed connection to water supply
- ▶ Detachable water tank
- ✓ Content: 1.8 L

Automatic coffee machine KV1 Classic

- Properties:
 - Milk temperature can be regulated via milk hose
 - Base plate with cutout for automatic ejection of slops (in conjunction with the slops ejector shaft KV1 - available as an option)
- Including:
 - 1 milk hose, 50 cm
 - 1 milk hose with flow controller, 50 cm
 - 1 water supply hose, 150 cm
- Output max.:
 - 40 cups of 120 ml / hour (single cup outlet)
 - 60 cups of 120 ml / hour (double cup outlet)
- Power load: 2,7 kW | 230 V | 50/60 Hz
- Number of bean containers: 1
- Content bean container: 1.000 g
- Bean-/topping containers lockable: No
- Detachable bean/topping containers: No
- Cup counter: Per program and total
- Decalcification signal: Yes
- Filling level display: yes
- Control unit: Electronic
- IoT-capable: -
- Setting possibilities:
 - 5 grinding levels
 - Coffee dosing
 - Water quantity
 - Water temperature
- Water supply:
 - Water tank
 - 3 options
 - Water supply via external container
 - Fixed connection to water supply
 - Fixed connection to water supply 1/2"
- Water connection: 1,8 litre(s)
- Water tank capacity: Yes
- Detachable water tank: No
- Milk container: External via tube
- Milk supply:
 - Flow rate can be regulated (temperature regulation)
- Programs: 6, individually adjustable
- Hot water function: yes
- Hot milk function: Yes
- Grinding mechanism: Cone grinder
- Grinder material: Steel
- Pressure system: Piston pressure
- Pump pressure: 19 bar
- USB connection: No
- Milk frother: yes
- Height-adjustable outlet: 100 - 160 mm
- Cleaning program: yes
- Display:
 - Fault messages
 - Programs
 - Status
 - Maintenance info
- Automatic turn-off: Yes
- Residues container capacity: Approx. 35 cups
- Residues container dishwasher-suitable: Yes
- Ground coffee option:
 - Individual cups
 - Manual 5 - 14 g
- Multi cups: Yes
- Size: W 305 x D 550 x H 580 mm
- Weight: 17.4 kg



Automatic coffee machine KV1 Classic

Add on Products

Water filter system K1600 EW



- Output capacity: 1,600 litres / at 10° KH (carbonate hardness)
- Material: Plastic
- Important information: -
- Design: Disposable system
For horizontal and vertical installation
- Properties: -
- Water connection: 1/2"

Code-No. 109881
GTIN 4015613630731

Cups warmer 48 cups



- Diameter cups max.: 90 mm
- Power load: 0,2 kW | 230 V | 50 Hz
- Material: Aluminium
- Important information: -
- Size Cupholder: Ø 95 mm | Height: 300 mm
- Temperature range: 30 °C to 45 °C
- ON/OFF switch: Yes

Code-No. 103067
GTIN 4015613469218

Partial desalination system TKD 13400 FB



- Desalination type: Partial desalination
- Water connection: 3/4"
- Material: Plastic
Glass-fibre reinforced
- Sampling tap: Yes
- Colour: Blue
- Important information: -

Code-No. 109878
GTIN 4015613681597

Cup warmer TA720



- Power load: 0,14 kW | 230 V | 50/60 Hz
- Capacity cups max.: 72
- Material: Stainless steel
- Important information: -
- ON/OFF switch: Yes
- Temperature range to: 60 °C

Code-No. 103076
GTIN 4015613708867

Automatic coffee machine KV1 Classic

Add on Products

Dregs ejector chute KV1



- Material: Plastic
- Important information: -
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort
The dregs are disposed of directly into the waste bin
- Size: W 80 x D 155 x H 160 mm

Code-No. 190060
GTIN 4015613735658

Water drain hose KV1



- Length: 1,5 m
- Properties: Can be used with the dregs container and ejector chute KV1
- Material: Rubber (NBR)
- Important information: -
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort

Code-No. 190068
GTIN 4015613735696

Water filter KV1



- Material: Plastic

Code-No. 109865
GTIN 4015613747798

Cup warmer TA1440



- Size utility space: W 285 x D 335 mm
- Height inside, each: 180 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Temperature range: 30 °C to 60 °C
- ON/OFF switch: Yes
- Important information: -

Code-No. 103079
GTIN 4015613756837

Automatic coffee machine KV1 Classic

Add on Products

Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines
Fully automatic coffee
Thermal jugs
Espresso machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form

Code-No. 173283
GTIN 4015613773377

Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines
Fully automatic coffee
Thermal jugs
Espresso machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form

Code-No. 173283V
GTIN 4015613800110

Pressure regulator



- Material: Brass
Chrome-plated
- Important information: -
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar

Code-No. 533051
GTIN 4015613468617

Milk refrigerator KV9L



- Material: Steel plate
Glass
- Material inside: Plastic
- Colour: Black
- Important information: Tube feeds are closed upon delivery
- Content: 9 litre(s)
- Size inside: W 160 x D 190 x H 280 mm

Code-No. 190089
GTIN 4015613831480

Automatic coffee machine KV1 Classic

Add on Products

Water filter system K1500L EW



- Output capacity: 1,500 litres / at 10° KH (carbonate hardness)
- Designed for: Coffee machines
- Design: Disposable system
For horizontal and vertical installation
- Material: Polypropylene
- Important information: -

Code-No. 109879
GTIN 4015613710891

Water filter system K3600L



- Water connection: 3/8"
- Material: Plastic

Code-No. 109847
GTIN 4015613743899