

## Coffee machine Contessa Duo



- ▶ 2 stainless steel thermal jugs
- ✓ Contents: 2 litres
- ✓ Lid with pouring mechanism



- ▶ Brewing time: 8 minutes for 2 litres
  - ▶ Minimum brewing quantity: 0.5 litres
- 
- ▶ Optimised, resistant heating elements
  - ✓ Stainless steel
  - ✓ Good heat transfer
  - ✓ Heating element output: 2 x 1.4 kW

### Description

The perfect coffee machine for filter coffee counters at buffets, for catering, and at events. With the Contessa Duo, up to 13 cups of coffee can be brewed directly into the thermal jug per hot plate. The improved stainless steel heating elements provide optimised heat transfer.

### Features

• Material:	Stainless steel
• Colour:	Silver
• Design:	Basket filter
• Design can(s):	Vacuum flask, stainless steel
• Content can:	2 litres
• Number of hobs:	2
• Warm-keeping function:	No
• Brewing time:	8 minutes for 2 litres
• Minimum brewing quantity:	0.5 litres
• Decalcification signal:	No
• Filling level display:	No
• Control unit:	Rocket switch
• ON/OFF switch:	Yes
• Important information:	-
• Power load:	2,8 kW   230 V   50/60 Hz
• Output max.:	2 x 13 cups

▶ Continue on the next page

## Coffee machine Contessa Duo

- Control lamp: ON/OFF
- Properties: Operational
- Output heating element: 2 Stainless steel heating elements
- Including: 2,8 kW (2 x 1,4 kW)
- Size: 2 thermal jugs, stainless steel
- Weight: W 430 x D 400 x H 520 mm
- Weight: 14.3 kg



## Coffee machine Contessa Duo

### Add on Products

#### Basket filter paper, 1000 pieces



- Order quantity unit: 1 box (1,000 filters)
- Important information: -
- Diameter bottom: 90 mm
- Diameter top: 250 mm

Code-No. 190014  
GTIN 4015613638249

#### Basket filter paper, 250 pieces



- Order quantity unit: 1 box (250 filters)
- Important information: -
- Diameter top: 250 mm
- Diameter bottom: 90 mm

Code-No.  
GTIN 4015613638256

#### Descaler B15-30



- Designed for: Coffee machines
- Order quantity unit: 1 box (30 bags à 15 g)
- Content: 30 x 15 g
- Model: Powder
- Ph level: High concentrate
- HACCP compliant: 1,8 - 2,4
- Yes

Code-No. 190065  
GTIN 4015613541716

#### Milk frother MS600



- Power load: 0,5 kW | 230 V | 50/60 Hz
- Temperature range: 0 °C to 70 °C
- Control unit: Electronic
- Content: Knob
- Control lamp: 0,6 litre(s)
- In operation

Code-No. 190211  
GTIN 4015613758077