

## Gas stove GHU 4110



- ▶ 4 hobs
  - ✓ Total output: 21 kW
  - ✓ 2 x 3.5 kW – front left, rear right
  - ✓ 2 x 7 kW, two-circle hob – front right, rear left
- ▶ Circulating air stove
  - ✓ 1/1 GN
- ▶ Hobs with removable collection tray
- ▶ Drawer below the hob

## Description

## Features

- Connected load oven: 3,1 kW | 230 V | Pluggable
- Temperature range: 50 °C to 300 °C
- Type: Upright unit
- Material: CNS 18/10
- Gas type: Natural gas H (20 mbar)  
Liquid gas nozzles (50 mbar) are enclosed
- Gas burner: Two-circle burner
- Important information: -
- Power: 21 kW
- Frequency: 50 Hz
- Ignition type: Manual ignition
- Height-adjustable feet: Yes
- Properties: Hobs with removable collection tray  
Gas burner with ignition guard  
Drawer below the hob  
Timer: 0 - 120 minutes
- Distribution of hobs: 2 x 3,5 kW, 2 x 7 kW

▶ Continue on the next page

## Gas stove GHU 4110

- Oven functions: Circulating air
- Oven type: Electro
- Including: 2 baking trays  
1 grille
- Series: -
- Operating mode: Electro / gas
- Gastronorm: 1/1 GN
- Type of hobs: Gas
- Size oven: W 560 x D 390 x H 340 mm
- Number of hobs: 4
- Vapour extractor: Yes
- Multifunctional oven: No
- Height adjustable: 850 mm to 910 mm
- Size: W 700 x D 700 x H 850 mm
- Weight: 100.8 kg



## Gas stove GHU 4110

### Add on Products

#### Tray 1/1GN, 20 mm

CNS 18/10




- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101185  
GTIN 4015613271729

#### GN grid 1/1, SS

CNS 18/10



- Material: CNS 18/10
- Important information: -
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091  
GTIN 4016098175250

#### Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 1 box of 6 cans (Minimum order quantity 2 boxes)

Code-No. 173060  
GTIN 4015613498508

#### Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 1 mm

Code-No. 150687  
GTIN 4015613711423

## Gas stove GHU 4110

### Add on Products

#### Oven gloves 300



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500510  
GTIN 4015613735467

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511  
GTIN 4015613735474

#### Oven gloves 420



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500512  
GTIN 4015613735481

#### Oven gloves 600



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500513  
GTIN 4015613735498

## Gas stove GHU 4110

### Add on Products


#### Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428  
GTIN 4015613734767

#### Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427  
GTIN 4015613734750

#### Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426  
GTIN 4015613734743

#### Thermometer A1020 KTP

STAINLESS  
STEEL



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -20 °C to 102 °C

Code-No. 292044  
GTIN 4015613664293