

Cupboard, W2000, SB, SID, IS



Description

Features

- Height-adjustable feet: Yes
- Material: Stainless steel
- Load-bearing capacity intermediate shelf, max.: 70 kg
- Important information: -
- Tilting: 40 mm
- Size inside: W 1997 x D 620 x H 580 mm
- Load-bearing capacity worktop, max.: 210 kg
- Design inside: 2-partitions
- Available on request: Special production
The list price corresponds to the next higher standard dimension
- Size work surface: W 2000 x D 700 mm
- Door hinge side can be changed: No
- Height adjustable: 850 mm to 900 mm
- Material work surface: Stainless steel
- Delivery state: Permanently mounted
- Type of door: Sliding door(s)
- Design intermediate shelf: Full-surface

► Continue on the next page

Cupboard, W2000, SB, SID, IS

- Intermediate shelf: yes
- Height-adjustable immediate shelves: Yes
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
- Size: W 2,000 x D 700 x H 850 mm
- Weight: 103.8 kg



Cupboard, W2000, SB, SID, IS

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031
GTIN 4015613360195

Swivel castors 4AW



- Swivel castors: 4 swivel castors, 2 with brake
- Important information: -
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber

Code-No. 308242
GTIN 4015613600307