

## Shock freezer AL5, 5x1/1GN



### Description

### Features

- |                          |  |
|--------------------------|--|
| • Type of drawers:       | Crosswise  |
| • Number of drawers:     | 5  |
| • Cooling:               | Circulating air  |
| • Fast cooling cycle:    | 70 °C to 3 °C (16 kg in 90 min.)                         |
| • Shock frost output:    | 70 °C to -18 °C (12 kg in 240 min.)                      |
| • Format drawers:        | 1/1 GN<br>600 x 400 mm                                   |
| • Material:              | CNS 18/10  |
| • Important information: | -  |
| • Power load:            | 1,2 kW   230 V   50 Hz                                   |
| • Energy consumption:    | Fast cooling: 0,12 kWh/kg<br>Shock freezing: 0,35 kWh/kg |
| • Climate class:         | 4  |
| • Including:             | 1 core temperature sensor                                |
| • Coolant:               | R452a / 1.0 kg   |
| • GWP:                   | 1945   |
| • Size:                  | W 750 x D 700 x H 850 mm                                 |

► Continue on the next page

## Shock freezer AL5, 5x1/1GN

• Weight: 98 kg



## Shock freezer AL5, 5x1/1GN Add on Products

### GN container, 1/1, D20

CNS  
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm
- Gastronorm: 1/1 GN

Code-No. A121025  
GTIN 4016098166722

### GN container, 1/1, D40

CNS  
18/10



- Content: 5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 40 mm

Code-No. A121040  
GTIN 4015613271064

### GN container, 1/1, D65

CNS  
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065  
GTIN 4016098162755