

## Glass-doored refrigerator GTK1-123



▶ Content: 232 litres



- ▶ Advertising display:
  - ✓ LED lighting
  - ✓ For stickers, max. dimensions: W 445 x H 190 mm



- ▶ 4 intermediate shelves, height-adjustable
  - ✓ Dimensions: W 355 x D 355 mm



- ▶ LED lighting



- ▶ Lockable

### Description

An eye-catcher in every self-service area: With its illuminated promotional display, the display refrigerator draws attention to itself and presents products in their best light.

### Features

- Material: Glass
- Material inside: Plastic PP
- Material: Aluminium
- Front pane: Coated
- Material: Framed
- Important information: Steel, painted
- Colour: -
- Safety glass: Black
- Colour: Yes
- Type of glass: White
- Content: Double glazing
- Useful content: 232 litre(s)
- Including: 203 litre(s)
- Type of intermediate shelves: 2 keys
- Dimensions of intermediate shelves: Grille, plastic coated
- Number of intermediate shelves: W 355 x D 355 mm
- Number of intermediate shelves: 4

▶ Continue on the next page



## Glass-doored refrigerator GTK1-123



|   |   |
|---|---|
| • Height-adjustable intermediate shelves: | Yes   |
| • Temperature range:                      | 1 °C to 9 °C  |
| • Temperature control:                    | Electronic<br>In 1 °C steps   |
| • Cooling:                                | Static with 1 fan   |
| • Coolant:                                | R600a / 0,050 kg  |
| • Climate class:                          | CC2   |
| • Thermostat:                             | Yes   |
| • Ambient temperature:                    | 10 °C to 32 °C  |
| • Energy efficiency class:                | D (EU No. 2019 / 2018)  |
| • Energy consumption:                     | 615 kWh / an  |
| • GWP:                                    | 3   |
| • Automatic defrosting function:          | Yes   |
| • Drip water evaporation:                 | Yes   |
| • Advertising display:                    | LED lighting<br>For stickers with max. dimensions of W 445 x H 190 mm |
| • With price strips:                      | No  |
| • Insulation:                             | Cyclopentane, 40 mm   |
| • Digital display:                        | Yes   |
| • Interior lighting:                      | Yes   |
| • Type of door:                           | Leaf door, glass  |
| • Number of doors:                        | 1   |
| • Door hinge side:                        | Right   |
| • Door hinge side can be changed:         | No  |
| • Lockable:                               | Yes   |
| • Height-adjustable feet:                 | No  |
| • Control unit:                           | Touch   |
| • ON/OFF switch:                          | No  |
| • Control lamp:                           | -   |
| • Properties:                             | 1 fan<br>LED lighting<br>4 casters, 2 adjustable feet                 |
| • Power load:                             | 0,21 kW   230 V   50 Hz   |
| • Size:                                   | W 450 x D 525 x H 2,025 mm  |
| • Weight:                                 | 72 kg   |



## Glass-doored refrigerator GTK1-123

### Add on Products

#### Thermometer A500



- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -30 °C to 50 °C

Code-No. 292049  
GTIN 4015613664286

#### Thermometer A300

STAINLESS  
STEEL



- Control unit: -
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048  
GTIN 4015613664262