

Glass-doored refrigerator GTK2-221



Description

The energy-saving night mode and fan stop when the door is open not only make the display refrigerator GTK2-221 a magnet for customers, but also ensure maximum energy savings. It keeps your products fresh while presenting them attractively.

Features

- Material: Glass
- Material inside: Coated Steel
- Front pane: Framed
- Material: Steel, painted
- Colour: Black
- Safety glass: Yes
- Important information: Spacers must be attached to rear wall
- Colour: White
- Content: 804 litre(s)
- Type of glass: Double glazing
- Including: 2 wall spacers, 4 keys
- Useful content: 743 litre(s)
- Type of intermediate shelves: Grille, plastic coated
- Dimensions of intermediate shelves: W 790 x D 520 mm
- Number of intermediate shelves: 4

▶ Continue on the next page



- ▶ Content: 804 litres
- ▶ Usable volume: 743 litres



- ▶ 4 intermediate shelves, height-adjustable
- ✓ Dimensions: W 790 x D 520 mm



- ▶ LED lighting



- ▶ Lockable



- ▶ Equipped with:
 - ✓ Fan stop when the door is open
 - ✓ LED lighting, separate switch
 - ✓ Self-closing door

Glass-doored refrigerator GTK2-221




• Height-adjustable intermediate shelves:	Yes
• Temperature range:	1 °C to 9 °C
• Temperature control:	In 1 °C steps Electronic
• Cooling:	Circulating air
• Coolant:	R290 / 0,085 kg
• Climate class:	CC2
• Thermostat:	Yes
• Ambient temperature:	10 °C to 32 °C
• Energy efficiency class:	F (EU No. 2019 / 2018)
• Energy consumption:	1978 kWh / an
• GWP:	3
• Automatic defrosting function:	No
• Drip water evaporation:	Yes
• Advertising display:	-
• With price strips:	No
• Insulation:	Cyclopentane, 38 mm
• Digital display:	Yes
• Interior lighting:	Yes
• Type of door:	Leaf door, glass
• Number of doors:	2
• Door hinge side:	Left / right
• Door hinge side can be changed:	No
• Lockable:	Yes
• Height-adjustable feet:	No
• Control unit:	Electronic
• ON/OFF switch:	No
• Control lamp:	-
• Properties:	Fan stop when door is open Self-closing door LED lighting, separately switchable
• Power load:	0,5 kW 230 V 50 Hz
• Size:	W 880 x D 720 x H 2,020 mm
• Weight:	133 kg



Glass-doored refrigerator GTK2-221

Add on Products

Insert grate GTK2-221



- Material: Steel
Plastic coated
- Important information: -
- Load-bearing capacity max.: 62 kg
- Size: W 790 x D 530 x H 35 mm
- Weight: 4.09 kg

Code-No.
GTIN 4015613865218

Thermometer A500



- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -30 °C to 50 °C

Code-No. 292049
GTIN 4015613664286

Thermometer A300

STAINLESS
STEEL



- Control unit: -
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048
GTIN 4015613664262