



CHEST FREEZER GLASS COVER LOTTE 336L

€560.00

SKU:

7086.0030

Meet our versatile freezer chest with glass lid Lotte-336, the flexible solution for both cooling and freezing!



This practical freezer chest with sliding glass lids is ideal for retail, hospitality and promotional use where product visibility and flexibility are essential. Thanks to the easy-to-use rotary control, you can effortlessly switch between cooling and freezing. The bright LED lighting ensures optimal product presentation, while the glass lids provide a clear view of the contents. With a generous capacity of 336 liters, a mobile design and a lockable construction, the Lotte-336 combines convenience, safety and efficiency. Dimensions: 1034x651x840 mm (LxDxH) – capacity 336 liters – temperature range 0/+10°C to <-18°C – weight 45 kg.

Key features:

- **Cooling & freezing in one:** easily adjustable via rotary control for maximum flexibility.
- **Glass lids with LED lighting:** optimal product visibility with energy-efficient lighting.
- **Manual defrosting:** simple maintenance and reliable operation.
- **Supplied with 2 baskets:** for a clear and organized product layout.
- **Mobile and lockable:** easy to move and securely closeable.

Whether you want to present ice cream, frozen goods or chilled products, the freezer chest with glass lid Lotte-336 offers an excellent combination of visibility, flexibility and ease of use. Order today and add a reliable all-rounder to your business!





EAN code	6153305679670	Width (mm)	1034
Depth (mm)	651	Height (mm)	840
Material	ABS Plastic	Color	White
Accessories included	2 baskets	Gross Weight (kg)	50
Net weight(kg)	45	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,22
Model tabletop/ freestanding/drop-in	Freestanding	Cooling agent	R 290
Temperature range (°C)	0/10 -18/-25	Number of baskets	2
Gross Capacity (Ltr)	336	Dim. interior WxDxH (mm)	891x510x588
Operation	Knob	Temperature display	No
Lights	Yes, LED	Type of cooling	Static
Lockable	Yes	Mobile	Yes
Noise level (dB)	57	Defrost	Manual
Max. ambient temperature (°C)	32	Insulation thickness (mm)	68
Brand	COMBISTEEL	Refrigerant quantity (gr)	85
Energy Class (A/G)	C	EPREL ID	2499724
Plug and play (EU plug)	Yes	Material interior	Aluminium
Size basket WxDxH (mm)	555x210x280	Parcel ready	No



ENERG



Combisteel

7086.0030



1073 kWh/annum


0,43 m²

 -18°C
-19°C

2019/2018

