

CHEST FREEZER GLASS COVER LOTTE-456

€660.00

SKU:

7086.0040

Meet our versatile freezer chest with glass lid Lotte-456, the flexible solution for both cooling and freezing!



This practical freezer chest with sliding glass lids is ideal for retail, hospitality and promotional use where product visibility and flexibility are key. Thanks to the easy-to-use rotary control, you can effortlessly switch between cooling and freezing. The bright LED lighting ensures optimal product presentation, while the glass lids provide a clear view of the contents. With an extra-large capacity of 456 liters, a mobile design and a lockable construction, the Lotte-456 combines convenience, safety and efficiency. Dimensions: 1434x651x840 mm (LxDxH) – capacity 456 liters – temperature range 0/+10°C to <-18°C – weight 60 kg.

Key features:

- **Cooling & freezing in one:** easily adjustable via rotary control for maximum flexibility.
- **Glass lids with LED lighting:** optimal product visibility with energy-efficient illumination.
- **Manual defrosting:** simple maintenance and reliable operation.
- **Supplied with 3 baskets:** for a clear and practical product layout.
- **Mobile and lockable:** easy to move and securely lockable.

Whether you want to display ice cream, frozen goods or chilled products, the freezer chest with glass lid Lotte-456 offers an excellent combination of capacity, visibility and ease of use. Order today and add a reliable all-rounder to your business!





EAN code	6153305759792	Width (mm)	1434
Depth (mm)	651	Height (mm)	840
Material	ABS Plastic	Color	White
Accessories included	3 baskets	Gross Weight (kg)	65
Net weight(kg)	60	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,27
Model tabletop/ freestanding/drop-in	Freestanding	Cooling agent	R 290
Temperature range (°C)	0/10 -18/-25	Number of baskets	3
Gross Capacity (Ltr)	456	Dim. interior WxDxH (mm)	1291x510x588
Operation	Knob	Temperature display	No
Lights	Yes, LED	Type of cooling	Static
Lockable	Yes	Mobile	Yes
Defrost	Manual	Max. ambient temperature (°C)	32
Insulation thickness (mm)	68	Brand	COMBISTEEL
Refrigerant quantity (gr)	100	Energy Class (A/G)	C
EPREL ID	2504088	Plug and play (EU plug)	Yes
Material interior	Aluminium	Size basket WxDxH (mm)	555x210x280
Parcel ready	No		



ENERG



Combisteel

7086.0040



1170 kWh/annum


0,64 m²

 **-18°C**
-19°C

2019/2018

