



CVC Testing Technology Co., Ltd.

Certificate of Compliance

No. EMC26-6082

About the EMC Directive 2014/30/EU

Applicant:

Product/Material: **GLASS DOOR REFRIGERATOR**

Trade Mark: —

Model/Type: See Appendix 1 to Appendix 2

Rated Specification: 220-240V~ 50Hz R290

Tested According to: EN IEC 55014-1:2021,
EN IEC 55014-2:2021,
EN IEC 61000-3-2:2019+A1:2021+A2:2024,
EN 61000-3-3:2013+A1:2019+A2:2021+AC:2022-01

Referred to the Technical Report: RZCE2025-0487EMC

This certificate of compliance is based on an evaluation of a tested sample of the product mentioned above. It does not imply assessment of series-production of the product. The applicant should hold the whole technical report at the disposal of the competent authority.

Provided it is also in conformance with other applicable EU/EC directives, the manufacturer or its authorized European representative may draw up an EU/EC Declaration of Conformity.



中国认可
国际互认
检测
TESTING
CNAS L0095



DAKKS
Deutsche
Akkreditierungsstelle
D-PL-17198-01-00

Signed by:

Dai Xingxue

Date of Issue: Jan. 22, 2026

CVC Testing Technology Co., Ltd.

No. 3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, 510663, P. R. China

Tel.: +86-20-32293888, Fax: +86-20-32293889 E-mail: office@cvc.org.cn

www.cvc.org.cn

LTC-C-0004-EMC-G3



APPENDIX

to C.O.C No. EMC26-6082

Applicant:

Product/Material: **GLASS DOOR REFRIGERATOR**

Trade Mark:

Model/Type: SC-150FP-AC, SC-150FP-AD, SC-150FP-EC, SC-150FP-ED,
SC-150FP-BC, SC-150FP-BD: Rated input: 1,8A,
SC-105JP-AC, SC-105JP-AD, SC-105JP-EC, SC-105JP-ED,
SC-105JP-BC, SC-105JP-BD: Rated input: 2,0A,
SC-250FP-AC, SC-250FP-AD, SC-250FP-EC, SC-250FP-ED,
SC-250FP-BC, SC-250FP-BD: Rated input: 2,0A,
SC-208F-EC, BC-208F-EC, SC-208FS-EC, BC-208FS-EC,
SC-208YF-EC, SC-208YS-EC: Rated input: 2,0A,
SC-228F-EC, BC-228F-EC, SC-228FS-EC, BC-228FS-EC,
SC-228YF-EC, SC-228YS-EC: Rated input: 2,0A,
SC-318F-EC, BC-318F-EC, SC-318FS-EC, BC-318FS-EC,
SC-318YF-EC, SC-318YS-EC: Rated input: 2,0A,
SC-338F-EC, BC-338F-EC, SC-338FS-EC, BC-338FS-EC,
SC-338YF-EC, SC-338YS-EC: Rated input: 2,0A,
SC-360FP-AC, SC-360FP-AD, SC-360FP-EC, SC-360FP-ED,
SC-360FP-BC, SC-360FP-BD: Rated input: 2,8A,
SC-380FP-AC, SC-380FP-AD, SC-380FP-EC, SC-380FP-ED,
SC-380FP-BC, SC-380FP-BD: Rated input: 2,8A,
SC-490FP-AC, SC-490FP-AD, SC-490FP-EC, SC-490FP-ED,
SC-490FP-BC, SC-490FP-BD: Rated input: 2,8A

Rated Specification: 220-240V~ 50Hz R290



中国认可
国际互认
检测
TESTING
CNAS L0095



Deutsche
Akkreditierungsstelle
D-PL-17198-01-00

CVC Testing Technology Co., Ltd.

No. 3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, 510663, P. R. China

Tel.: +86-20-32293888, Fax: +86-20-32293889 E-mail: office@cvc.org.cn

www.cvc.org.cn

Signed by

Dai Xingxue

Date of Issue: Jan. 22, 2026

LTC-C-0004-EMC-G3



APPENDIX

to C.O.C No. EMC26-6082

Applicant:

Product/Material: **GLASS DOOR REFRIGERATOR**

Trade Mark: —

Model/Type: SC-520FP-AC, SC-520FP-AD, SC-520FP-EC, SC-520FP-ED,
SC-520FP-BC, SC-520FP-BD: Rated input: 2,8A,
SC-590FP-AC, SC-590FP-AD, SC-590FP-EC, SC-590FP-ED,
SC-590FP-BC, SC-590FP-BD: Rated input: 2,8A,
SC-800FP-AC, SC-800FP-AD, SC-800FP-EC, SC-800FP-ED,
SC-800FP-BC, SC-800FP-BD: Rated input: 3,1A,
SC-760FP-AC, SC-760FP-AD, SC-760FP-EC, SC-760FP-ED,
SC-760FP-BC, SC-760FP-BD: Rated input: 3,1A,
SC-960FP-AC, SC-960FP-AD, SC-960FP-EC, SC-960FP-ED,
SC-960FP-BC, SC-960FP-BD: Rated input: 5,0A,
SC-1300FP-AC, SC-1300FP-AD, SC-1300FP-EC, SC-1300FP-ED,
SC-1300FP-BC, SC-1300FP-BD: Rated input: 3,1A,
SC-1480FP-AC, SC-1480FP-AD, SC-1480FP-EC, SC-1480FP-ED,
SC-1480FP-BC, SC-1480FP-BD: Rated input: 5,0A,
SC-1750FP-AC, SC-1750FP-AD, SC-1750FP-EC, SC-1750FP-ED,
SC-1750FP-BC, SC-1750FP-BD: Rated input: 5,4A,
SC-2045FP-AC, SC-2045FP-AD, SC-2045FP-EC, SC-2045FP-ED,
SC-2045FP-BC, SC-2045FP-BD: Rated input: 5,4A

Rated Specification: 220-240V~ 50Hz R290



中国认可
国际互认
检测
TESTING
CNAS L0095



Deutsche
Akkreditierungsstelle
D-PL-17198-01-00

Signed by:

Dai Xingxue

Date of Issue: Jan 22, 2026

CVC Testing Technology Co., Ltd.

No. 3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, 510663, P. R. China

Tel.: +86-20-32293888, Fax: +86-20-32293889 E-mail: office@cvc.org.cn

www.cvc.org.cn

LTC-C-0004-EMC-G3