

## DRY AGE CABINET 293L

€3,520.00

SKU:

7455.1955

**Meet our Dry Age cabinet, designed for the perfect aging of meat in professional environments!**

This stylish black dry age cabinet offers the ideal temperature and humidity for the dry aging process, with a glass door for excellent product presentation. The LED lighting ensures optimal illumination of your products. The user-friendly control panel allows precise temperature adjustments, while the forced cooling system maintains a stable environment. The humidity level of 65-85% creates perfect aging conditions. The modern, stylish black finish makes the cabinet a real eye-catcher in any professional setting.

Dimensions: 600x515x1820 mm (LxDxH) - Power consumption: 0.29 kW - Capacity: 293 liters - Temperature: 0/+10°C - Relative humidity: 65-85% - Weight: 85 kg

### Key features:

- **Forced cooling:** ensures constant temperature and humidity for dry aging.
- **LED lighting:** presents your products in the best light, energy-efficient and effective.
- **Humidity of 65-85%:** creates ideal aging conditions.
- **Robust and professional appearance:** perfect for premium meat display in retail or horeca environments.
- **Stylish black design:** modern finish that beautifully accentuates your products.

Make a statement in your store or restaurant and provide your meat with the perfect aging conditions. Order the Dry Age cabinet today and add a luxury element to your assortment!





|                            |                          |                                      |                                                      |
|----------------------------|--------------------------|--------------------------------------|------------------------------------------------------|
| EAN code                   | 6153303078024            | Width (mm)                           | 600                                                  |
| Depth (mm)                 | 515                      | Height (mm)                          | 1820                                                 |
| Material                   | Stainless steel Aisi 304 | Material interior                    | Stainless steel 304                                  |
| Color                      | Black                    | Accessories included                 | Himalayan salt brick, SS tray for storing salt brick |
| Parcel ready               | No                       | Gross Weight (kg)                    | 85                                                   |
| Net weight(kg)             | 80                       | Particulars                          | Maximum hanger loading 115 kg                        |
| Voltage (Volt)             | 230                      | Frequency (Hz)                       | 50                                                   |
| Electrical power (kW)      | 0,29                     | Model tabletop/ freestanding/drop-in | Freestanding                                         |
| Cooling agent              | R 290                    | Temperature range (°C)               | 0/+10                                                |
| Number of grids            | 3                        | Gross Capacity (Ltr)                 | 293                                                  |
| Dim. interior WxDxH (mm)   | 510x355x1315             | Operation                            | Digital                                              |
| Temperature display        | Yes, digital             | Lights                               | Yes, LED                                             |
| Type of cooling            | Ventilated               | Lockable                             | Yes                                                  |
| Mobile                     | No                       | Number of doors                      | 1                                                    |
| Door left / right hinging  | Right                    | Noise level (dB)                     | 45                                                   |
| Defrost                    | Automatic                | Max. ambient temperature (°C)        | 32                                                   |
| Relative humidity (%)      | 65-85                    | Energy Class (A/G)                   | C                                                    |
| Power consumption (Kw/24h) | 2,58                     | Brand                                | COMBISTEEL                                           |
| Refrigerant quantity (gr)  | 90                       | EPREL ID                             | 2309506                                              |
| Plug and play (EU plug)    | Yes                      |                                      |                                                      |



# ENERG



Combisteel

7455.1955



**1497** kWh/annum

  
**0,59** m<sup>2</sup>

  
8°C  
2°C

2019/2018

