

DRY AGE CABINET 458L

€4,045.00

SKU:

7455.1960

Meet our Dry Age cabinet with double doors, designed for the perfect aging of meat in professional environments!

This stylish black dry age cabinet offers the ideal temperature and humidity for the dry aging process, with two glass doors for excellent product presentation. The LED lighting ensures optimal illumination of your products. The user-friendly control panel allows precise temperature adjustments, while the forced cooling system maintains a stable environment. The humidity level of 65-85% creates ideal aging conditions. The modern, stylish black finish makes the cabinet a real eye-catcher in any professional setting. Dimensions: 900x515x1820 mm (LxDxH) - Power consumption: 0.345 kW - Capacity: 458 liters - Temperature: 0/+10°C - Relative humidity: 65-85% - Weight: 115 kg

Key features:

- **Forced cooling:** ensures constant temperature and humidity for dry aging.
- **LED lighting:** presents your products in the best light, energy-efficient and effective.
- **Humidity of 65-85%:** creates ideal aging conditions.
- **Robust and professional appearance:** perfect for premium meat display in retail or horeca environments.
- **Stylish black design:** modern finish that beautifully accentuates your products.

Make a statement in your store or restaurant and provide your meat with the perfect aging conditions. Order the Dry Age cabinet today and add a luxury element to your assortment!





EAN code	6153303078031	Width (mm)	900
Depth (mm)	515	Height (mm)	1820
Material	Stainless steel Aisi 304	Material interior	Stainless steel 304
Color	Black	Accessories included	Himalayan salt brick, SS tray for storing salt brick
Parcel ready	No	Gross Weight (kg)	115
Net weight(kg)	100	Particulars	Maximum hanger loading 115 kg
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	0,345	Model tabletop/ freestanding/drop-in	Freestanding
Cooling agent	R 290	Temperature range (°C)	0/+10
Number of grids	6	Gross Capacity (Ltr)	458
Dim. interior WxDxH (mm)	810x355x1315	Operation	Digital
Temperature display	Yes, digital	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	Yes
Mobile	No	Number of doors	2
Door left / right hinging	Left and right hinged	Noise level (dB)	45
Defrost	Automatic	Max. ambient temperature (°C)	32
Relative humidity (%)	65-85	Energy Class (A/G)	C
Power consumption (Kw/24h)	3,23	Brand	COMBISTEEL
Refrigerant quantity (gr)	80	EPREL ID	2309458
Plug and play (EU plug)	Yes		



ENERG



Combisteel

7455.1960



1787 kWh/annum


0,84 m²


8°C
1°C

2019/2018

