



ENTRY 700 ELECTRIC BAIN-MARIE 1/1GN

€1,150.00

SKU:

7545.0035

Discover the Entry Line 700 electric bain-marie – compact, efficient, and energy-saving



The Combisteel Entry Line 700 bain-marie is the perfect addition to your electric cooking line. With a sturdy stainless steel housing, a capacity of 1x 1/1 GN, and an accurately adjustable temperature range from 0 to +85 degrees Celsius, this bain-marie offers optimal control for keeping dishes warm. Thanks to its 2 kW power, it operates energy-efficiently and reliably. The dry-boil protection automatically switches off the device when the water level is too low, preventing overheating. This bain-marie comes with three 1/3 GN pans, 100 mm deep, including matching lids. Additionally, it is equipped with a drain tap under the cabinet for easy emptying of the water tank. Dimensions: 400x700x920 mm (WxDxH) – Voltage: 230V – Power: 2 kW – Temp. range: 0/+85°C – Weight: 33 kg.

Key features:

- **Efficient warming:** suitable for 1x 1/1 GN insert, including 3x 1/3 GN pans with lids
- **User-friendly:** on/off switch and rotary knob for precise temperature control
- **Safe to use:** dry-boil protection prevents overheating
- **Practical maintenance:** drain tap behind the door for easy emptying of the water tank
- **Energy-saving and modular:** part of the first fully electric Entry Line 700 cooking line, expandable with induction cooker, fry top, fryer, and neutral element

A professional bain-marie that combines ease of use, efficiency, safety, and flexibility – order now and expand your cooking line with this reliable, energy-efficient model!





EAN code	6153305369335	Width (mm)	400
Depth (mm)	700	Height (mm)	920
Material	Stainless steel	Color	Stainless steel
Parcel ready	No	Gross Weight (kg)	44.5
Net weight(kg)	33	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	2
Version	Electric	Model tabletop/ freestanding/drop-in	Freestanding
Temperature range (°C)	0/+85	Contents of GN	1X 1/1
Max. depth GN container (mm)	-	Drain Valve	Yes
Brand	COMBISTEEL	Cord length (mm)	1000

