



# ***FLASHCHEF***<sup>TM</sup> **High Speed Oven**

G1-1





**FLASHCHEF™**

## Professional Kitchen series



Born to be professional. FlashChef™, an extensive lineup of professional cooking appliances that focuses on the needs of most commercial environments: efficient, easy and durable.

Compared to ordinary cooking appliances, FlashChef™ offers remarkable performance contributed to the redesigned structures, tailor-made components and enhanced interiors.

From convenience stores, office pantries or café, to commercial kitchens, chain stores or stadiums, FlashChef™ will surely meet and surpass your high expectation with its ultra-efficient performance, effortless operation and impressive durability.





## FLASHCHEF™ High Speed Oven

### 2 color options

Black stainless steel and stainless steel, 2 color options to adapt to more kitchen designs



# Cooking functions

Convection, Grill, and Microwave functions





Microwave functions



Grill functions




Convection functions





## DUAL IMPINGEMENT DUAL EFFICIENCY

For the ever first time, FlashChef™ High Speed Oven is equipped with duo-impingement system that significantly speeds up the cooking. Compared to traditional HSO that heats the food with impingement from the top, while convection from the bottom, FlashChef™ High Speed Oven simultaneously ejects impingement from both top and bottom. The result? Ultra fast browning and crisping on both side of the food in a flash!






# IMPINGEMENT

Convenient Efficiency vs. Typical High Speed Oven: +8%

Dual Magnetron with Inverter Technology vs. Conventional Microwave Oven System: +25%

Cooking Speed vs. Conventional Ovens: 20 Times Faster







## INVERTER ENABLED PERFECT FOOD ACHIEVABLE


With built-in inverter technology, FlashChef™ High Speed Oven is the first in the industry with such equipment. Heat can be delivered uniformly to prevent over-heating or under-heating, thanks to the precise control and automatic power adjustment.





# HEAT WITH ULTRA-SPEED DUO-MAGNETRON DESIGN

FlashChef™ High Speed Oven contains two magnetrons that speed up the cooking with up to 1000 watt microwave power output, saving up the heating time with outstanding efficiency.



# 6-STAGES COOKING MORE FLEXIBILITIES, MORE POSSIBILITIES

Up to 6 stages of cooking, FlashChef™ High Speed Oven allows the user to control which way to cook, and how much energy shall be delivered within the food throughout a cook cycle, offering more possibilities.

| Pizza-Stage Cooking                                                                 |                          |           |
|-------------------------------------------------------------------------------------|--------------------------|-----------|
| IMAGE                                                                               | TEMPERATURE(200°F-520°F) |           |
|  | 520°F ▼                  |           |
| TIME                                                                                | IMPINGEMENT              | MICROWAVE |
|                                                                                     | STAGE 1                  |           |
| 02:15                                                                               | 100%                     | 40%       |
|                                                                                     | STAGE 2                  |           |
| 00:10                                                                               | 40%                      | 80%       |
|                                                                                     | STAGE 3                  |           |
| 00:20                                                                               | 60%                      | 30%       |
|                                                                                     | STAGE 4                  |           |
| 00:20                                                                               | 50%                      | 50%       |
|                                                                                     | STAGE 5                  |           |
| 00:15                                                                               | 50%                      | 30%       |
|                                                                                     | STAGE 6                  |           |
| 00:15                                                                               | 100%                     | 10%       |



## 7.84" HD TFT TOUCHSCREEN


7.84" HDTFT touchscreen, largest screen in its class for easier reading.





## BUILT-IN CAVITY LIGHT

Check the food status without even taking it out from the cavity with FlashChef™ High Speed Oven built-in cavity light. Brighter and clearer sight inside for perfect cook.




## PRESS 'N EJECT AIR FILTER

The air filter is securely fixed by special design component. It can be detached simply by pressing, for easy cleaning.



## LARGER CAVITY FOR HIGHER FLEXIBILITIES

FlashChef™ High Speed Oven has a large cavity that accommodates a 12" (30cm) pizza with ease.



## SPACE-FRIENDLY FOOTPRINT

Fits into various places with a space-friendly footprint.





## STAINLESS STEEL FINISH FOR ULTIMATE DURABILITY

Built with stainless steel, FlashChef™ High Speed Oven meets the challenge of complicated commercial environment, for ultimate durability.

## IDEAL MATCHING WITH MULTIPLE COLORS

FlashChef™ High Speed Oven provides 2 different colors that matches different environments. Classic Silver or Modern Black.



Silver



Black




Fetch  
Handle




Stainless  
steel  
shovel




Rack



Teflon  
baking  
nets



Release  
paper



Pizza  
Stone



FlashChef™ High Speed Oven provides incredible performance where professional cooking results are needed. With breakthrough dual impingement system, FlashChef™ High Speed Oven can brown and crisp with ultra-fast speed. Dual magnetrons with inverter® technology enables cooking or heating of food quickly and uniformly while consuming less energy. Apart from its impressive performance, FlashChef™ High Speed Oven is user-friendly with HD TFT touch screen, the largest screen in its class, and offers the user more content with clearer display. The intuitive and scrollable control panel with auto-top menu function provides phone-like operation, eliminating operating and language barriers. Built-in cavity light allows the users to check the food with brighter view. With these features and functions, the FlashChef™ High Speed Oven adapts to many different applications for users and operators.



# Model: G1-1

## Main Features

### Outstanding Cooking Performance


- + Dual impingement for ultra-fast browning and crisping on both sides of the food.
- + Dual magnetrons for high and consistent power output to save heating time.
- + Inverter Technology for the best microwave oven control.
- + Precisely control and adjust power for proper heating.
- + 6 cooking stages for more flexible and versatile applications.

### User Friendly Operation

- + 7.8"HD TFT touchscreen, largest screen in its class for easier reading.
- + Intuitive icon control panel eliminates language barriers, just like operating a phone.
- + Auto-top menu function intelligently puts the frequently-use menu groups on top, for instant and convenient access.
- + Built-in cavity light provides brighter and clearer sight inside the interior.

### Stylish Appearance

- + Large cavity accommodates a 12" (30cm) pizza with space-friendly footprint.
- + Stainless steel finish for easy maintenance and great appearance.



Top: 11" (300), Sides: 3" (100), Back: 3" (100)





| Model                                 |  | G1-1                                                                                 |
|---------------------------------------|--|--------------------------------------------------------------------------------------|
| Dimensions                            |  |                                                                                      |
| Cavity Size (Liter/cu.ft.)            |  | 0.66 cu.ft (18.7 Liters)                                                             |
| Cavity Interior                       |  | SUS 304                                                                              |
| Cavity Dimension (WxDxH)              |  | 314 mm x 343 mm x 175 mm (12.4"×13.5"×6.9"inches)                                    |
| Product Dimensions (WxDxH)            |  | 404 mm x 734 mm x 607 mm (15.9"x28.9"x23.9"inches)                                   |
| Package Dimensions (WxDxH)            |  | 474 mm x 858 mm x 750 mm (18.7"x33.8"x29.5"inches)                                   |
| Net Weight                            |  | 60 kg (132 lb)                                                                       |
| Gross Weight                          |  | 67 kg (147 lb)                                                                       |
| Loading Capacity (20' / 40' / 40' HQ) |  | 96 / 195 / 195 Pcs                                                                   |
| Electrical Specifications             |  |                                                                                      |
| Electrical Power (Max)                |  | 3000W                                                                                |
| Microwave Output Power (Inverter)     |  | 1000W                                                                                |
| Impingement Power                     |  | 3000 W 525+F                                                                         |
| Supply Voltage                        |  | 230 V,50Hz                                                                           |
| Amps                                  |  | 16A                                                                                  |
| Plug Type                             |  |                                                                                      |
| Plug Image                            |  |  |
|                                       |  | UL/ VDE                                                                              |
| Technical Specifications              |  |                                                                                      |
| Control Type                          |  | 7.8"HD TFT Touch Screen                                                              |
| Temperature Range                     |  | 200° F-527° F ( 93° C-275° C ), 1F Increments                                        |
| Microwave Power Levels                |  | 0% to 100% in 1% Increments                                                          |
| Fan Power Levels                      |  | 0% to 100% in 1% Increments                                                          |
| Auto Program                          |  | 1024, Over 10 Categories                                                             |
| Stage Cooking                         |  | 6 (Max.)                                                                             |
| Max. Cooking Time                     |  | 00:60:00-10:00 Min Per Stage                                                         |
| Connectivity                          |  | USB                                                                                  |
|                                       |  |                                                                                      |
| Certifications/Hoodless Cooking       |  | UL+FCC+FDA+UL EPH+Ventles+EMC+CE                                                     |

