

Chiller & Freezer Counters with Compact Dimensions

Clover Series Counters (60cm Depth)

Clover Chiller & Freezer Counters (60cm Depth) with their Compact Dimensions (Slim), are ideal for limited spaces and for safely storing products with small volumes, while offering adequate working space for preparation on their top!

NEW Now also available 60cm Freezer Counters!

NEW Now also available with Drawers!

2 YEARS WARRANTY	 ECO FRIENDLY	 +43°C AMBIENT TEMPERATURE	 RAL AVAILABLE COLOR CUSTOMIZATION	 WiFi UPON REQUEST
-------------------------------	---------------------	-------------------------------------	--	--------------------------



PMRP99 (60cm)

PMRP9999 (60cm)



Common Features

- | | | | |
|--|---|---|---|
| Energy Classification under EU directives | Evaporator protection against corrosion | 2 years Warranty on mechanical and electrical parts | Compact Dimensions for Smaller Spaces (Depth 600mm) |
| With natural refrigerant R290 (Zero ODP/GWP=3) | Forced air circulation technology | Height adjustable stainless-steel legs | Chiller & Freezer Models Available |
| 1 shelf per door | Clip-On Guides for fast & easy cleaning | Automatic evaporation of condensate water | Ambient temperature +43°C |
| Hygienically designed interior | Embedded controller for easy operation and cleaning | Injected polyurethane foam insulation | Over extension telescopic slides on drawers |
| Material AISI 304 18/8-10 | Removable magnetic door gasket | Density 42 kg/m ³ , HFC Free (Zero ODP, Low GWP) | 3 alternative drawer arrangements available (2×1/2, 3×1/3, 1/3+2/3) |
| Self-closing door at 90° | Automatic defrost | | |

In More Detail


Refrigerators with Compact Dimensions (60cm) Counters

Hot Topics...

4 Top Fitted Single/Double Shelf **NEW**



3 With Upstand or Corner Upstand



1 Sink Bowl fitting as option



Suitable for...

- General Use Chiller Applications
- Small & Large Foodservice Applications
- Demanding Environments

2 Wheels as an option



5 Motor can also be applied on the Left Side as an option



For more extras & accessories refer to section "Personalization" (see page 106)

What's New!

Refrigerators with Compact Dimensions (60cm) Slim Counters

Drawer Slides

New Drawer Slides applied to all our products.



DRAWER SLIDES

- Smoother operation
- Noise reduction
- Over telescopic extension

Also, available with Soft Close , upon request on your order, offering the below extra benefits:



DRAWER SLIDES with soft close

- Self-closing system
- Increased safety
- Ensuring proper Refrigerator Operation

Counters with colors



Personalize your Counters with the color of your choice!



How to...

Refrigerators with Compact Dimensions (60cm) Counters

Now you can also add drawers! NEW

Drawer & Door Combinations for Counters (60cm)

■ Basic Models Coding/Symbolism for Counters (60cm):



Symbolism:

Inox Door: 9

■ How to combine Drawers & Doors to conclude on your preferred model type:

- 1) Start by selecting your preferred BASIC Model, depending on your preferred model size
e.g: PMRP99 or PMRP999 or PMRP9999:

E.g:

Basic Model

4 Inox Doors Model
(2242 x 600 x 873)

PMRP9999

How to...

Refrigerators with Compact Dimensions (60cm) Counters

2) Replace each Door (9) with the preferred COMBINATION:

E.g:



Models with both Inox & Glass Doors combination for Counters (60cm)

■ How to differentiate Inox Door from Glass Door when creating your preferred model that combines both.

E.g:



Symbolism:

- Inox Door: 9 / per Door
- Glass Door: 9G / per Door

- 2 x 1/2: 2
- 3 x 1/3: 3
- 1 x 1/3 & 1 x 2/3: 4

- FULL/Complete Glass Door model: 9 / per Door & /GL at the end

Prioritization of final descriptions (*/...) on code creation:

- There are 3 basic acronyms that need to follow the following order, when creating your preferred model type: /SL/GL/RU
- Any other acronym you wish to add for your preferred model can be just included as per your demand after the above.

Characteristics

Refrigerators with Compact Dimensions (60cm) Slim Counters



Model	PMRP99	PMRP999	PMRP9999	PMEG99	PMEG999
TYPE	CHILLER	CHILLER	CHILLER	FREEZER	FREEZER
Doors	2	3	4	2	3
Capacity (lt)	224	350	475	224	350
Dimensions (mm)	1342 × 600 × 873	1792 × 600 × 873	2242 × 600 × 873	1342 × 600 × 873	1792 × 600 × 873
Gross / Net (kg)	113 / 102	140 / 125	170 / 154	118 / 107	145 / 130
Packaged Volume (m ³)	0,95	1,10	1,38	0,95	1,10
Shelves (pcs) / Door	1	1	1	1	1
Operating Temperature (°C)	0 / +10	0 / +10	0 / +10	-20 / -10	-20 / -10
Rated Voltage (V/Hz)	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Electrical Power (W)	344	344	447	337	347
Energy Class	B	B	B	B	B
Climate Class	5	5	5	5	5
Refrigerant	R290	R290	R290	R290	R290

Extra Models

Slim 60cm (Closets) Glass Doors

Model	PMRP99/GL	PMRP999/GL	PMRP9999/GL
TYPE	CHILLER	CHILLER	CHILLER
Doors	2	3	4
Dimensions (mm)	1342 × 600 × 873	1792 × 600 × 873	2242 × 600 × 873

Characteristics

Refrigerators with Compact Dimensions (60cm) Counters

■ Special Features

- Material AISI 304 18/8-10
- New style Condenser with low maintenance requirements
- Drawer Slides **NEW**

■ Options

- Wheels next page
- Wifi **NEW** next page
- Choice of Colors (RAL Palette) next page
- without Refrigeration Mechanism (Ramnus Series - Remote Unit) page 111
- with Glass doors (Prunus Series) page 89
- with Refrigeration Mechanism on the left side next page
- with an Upstand next page
- without Worktop next page
- with Worktop 80 cm deep next page
- Drawer slides with soft close **NEW** next page
- Sink bowl fitting option (only for Chillers) next page
- 2nd evaporator models with dimensions 224 cm next page
Recommended for heavy duty & especially for products with many drawers.

Personalization

Refrigerators with Compact Dimensions (60cm) Counters

Options

Drawer Options NEW

	Model
 2 × 1/2	2
with soft close*	2 (with soft close)
 3 × 1/3	3
with soft close*	3 (with soft close)
 1 × 1/3 & 1 × 2/3	4
with soft close*	4 (with soft close)

Door Options

	Model
 Glass Door	9G

Extras

	Model Extension	Dimensions	New Model Code
	.../WH	-	PMRP99 /WH
			PMRP999 /WH
			PMRP9999 /WH
Wifi	.../WI	-	Example: PMRP99 /WI
	B: BLACK C: ALL OTHER	-	PMRP B99 PMRPC99
			PMRPB999 PMRPC999
			PMRPB9999 PMRPC9999
Without Worktop	.../I	-	PMRP99/I
			PMRP999/I
			PMRP9999/I
With Worktop 80cm deep	.../80	-	PMRP99/80
			PMRP999/80
			PMRP9999/80
	.../LF	-	Example: PMRP99/LF
With Upstand	.../A	6 cm	PMRP99/A
			PMRP999/A
	.../A1	10 cm	PMRP99/A1
			PMRP9999/A1
Corner Upstand	.../ABL	6cm	PMRP99/ABL
	.../ABL1	10 cm	PMRP99/ABL1
	.../ABR	6cm	PMRP99/ABR
	.../ABR1	10 cm	PMRP99/ABR1
	H	33,5 × 33,5	Example: PMHP99
	.../DE	-	Only for: PMRP9999/DE
Remote Unit	.../RU	-	PMRP99/RU PMRP999/RU PMRP9999/RU
Glass Door	.../GL	-	PMRP99/GL
			PMRP999/GL
			PMRP9999/GL

Personalization

Refrigerators with Compact Dimensions (60cm) Counters

■ Accessories

Shelves Counters Slim

	Model	Dimensions
 Shelf For Refrigerated Counter	SP9116	325×445
 Refr. Counter Shelf (Stainless Steel)	SP9116/I	325×445

Gantries Counters Slim

	Model	Dimensions
 Top Fitted Single Shelf	RE313	1332×332×462
	RE318	1782×332×462
	RE322	2232×332×462
 Top Fitted Double Shelf	RD313	1332×332×763
	RD318	1782×332×763
	RD322	2232×332×763

Bridging Shelves Counters Slim

	Model	Dimensions
 Bridging Shelf for Counters (Stainless Steel)	PPPB1298	142×407

Heating Elements Counters Slim

	Model	Dimensions
 Box with 3 Halogens Lights for Gantry	XWH11	950×122×60
 Box with 4 Halogens Lights for Gantry	XWH14	1252×122×60
 Box with 5 Halogens Lights for Gantry	XWH16	1452×122×60
 Box with 6 Halogens Lights for Gantry	XWH19	1752×122×60

Guides Counters Slim

	Model	Dimensions
 Pair of Guides Counters	OS116	455×18×26
 Pair of Anti-Drop Guides Counters	OS116/AD	455×18×26


Rails Counters Slim

	Model	Dimensions
 Rails	RAS134	1340×335×175
 Rails	RAS179	1790×335×175

Blueprints

Refrigerators with Compact Dimensions (60cm) Counters

PMRP9999



Blueprints

Refrigerators with Compact Dimensions (60cm)
Counters

PMEG999

