

Documentación Técnica



Modelo:
VMG_M




DATOS GENERALES


	MODELO			
	VMG9C	VMG12M	VMG18M	VMG12MHD
LONGITUD (mm)	938	1250	1875	1250
ESPESOR LATERALES (mm)	30 + 30			
SUPERFICIE EXPOSICIÓN (m ²)	0,86	1,14	1,71	1,14
VOLUMEN BRUTO (lts.)	122	147	198	165
POTENCIA (W)	9,38	12,5	18,75	12,5
INTENSIDAD (A)	0,04	0,06	0,09	0,06
TENSIÓN / FRECUENCIA	220V / 50Hz			
DIM. EN TRANSPORTE (mm) (L x W x H)	1155 x 1100 x 1250	1475 x 1100 x 1250	2095 x 1100 x 1250	1475 x 1100 x 1250

VISTAS GENERALES


ALZADO



PLANTA



PERFIL




DATOS GENERALES


	MODELO			
	VMG90AAM	VMG90ACM	VMG45AAM	VMG45ACM
LONGITUD (mm)	1840	2434	1030	1350
ESPESES LATERALES (mm)	30 + 30			
SUPERFICIE EXPOSICIÓN (m ²)	1,20	1,83	0,60	0,92
VOLUMEN BRUTO (lts.)	163	205	105	122
POTENCIA (W)	8,35	5,5	5	3
INTENSIDAD (A)	0,04	0,03	0,02	0,01
TENSIÓN / FRECUENCIA	220V / 50Hz			
DIM. EN TRANSPORTE (mm) (L x W x H)	1395 x 1395 x 1250	2475 x 1235 x 1250	1215 x 1215 x 1250	1215 x 1215 x 1250

VISTAS GENERALES

ALZADO



PLANTA





Model:
VMG_M




GENERAL DATA



	MODEL			
	VMG9C	VMG12M	VMG18M	VMG12MHD
LENGTH (mm)	938	1250	1875	1250
SIDE WALL THICKNESS (mm)	30 + 30			
EXHIBITION AREA (m ²)	0,86	1,14	1,71	1,14
GROSS VOLUME (lts.)	122	147	198	165
POWER (W)	9,38	12,50	18,75	12,50
CURRENT (A)	0,04	0,06	0,09	0,06
VOLTAGE / FREQUENCY	220V / 50Hz			
DIMENSIONS IN TRANSPORT (mm) (L x W x H)	1155 x 1100 x 1250	1475 x 1100 x 1250	2095 x 1100 x 1250	1475 x 1100 x 1250

INSTALLATION DETAILS

ELEVATION



FLOOR




GENERAL DATA


	MODEL			
	VMG90AAM	VMG90ACM	VMG45AAM	VMG45ACM
LENGTH (mm)	1840	2434	1030	1350
SIDE WALL THICKNESS (mm)	30 + 30			
EXHIBITION AREA (m ²)	1,20	1,83	0,60	0,92
GROSS VOLUME (lts.)	163	205	105	122
POWER (W)	8,35	5,50	5,00	3,00
CURRENT (A)	0,04	0,03	0,02	0,01
VOLTAGE / FREQUENCY	220V / 50Hz			
DIMENSIONS IN TRANSPORT (mm) (L x W x H)	1395 x 1395 x 1250	2475 x 1235 x 1250	1215 x 1215 x 1250	1215 x 1215 x 1250

INSTALLATION DETAILS

ELEVATION



FLOOR



Documentation Technique



Modèle:
VMG_M




DONNÉES GÉNÉRALES



	MODÈLE			
	VMG9C	VMG12M	VMG18M	VMG12MHD
LONGEUR (mm)	938	1250	1875	1250
EÉPAISSEUR DU CÔTÉ (mm)	30 + 30			
ESPACE D'EXPOSITION (m ²)	0,86	1,14	1,71	1,14
VOLUME BRUT (lts.)	122	147	198	165
POWER (W)	9,38	12,50	18,75	12,50
CURRENT (A)	0,04	0,06	0,09	0,06
TENSION / FRÉQUENCE	220V / 50Hz			
DIM. POUR TRANSPORTS (mm) (L x W x H)	1155 x 1100 x 1250	1475 x 1100 x 1250	2095 x 1100 x 1250	1475 x 1100 x 1250

DONNÉES D'INSTALLATION

ÉLÉVATION



PLANTE




DONNÉES GÉNÉRALES

	MODÈLE			
	VMG90AAM	VMG90ACM	VMG45AAM	VMG45ACM
LONGEUR (mm)	1840	2434	1030	1350
ÉPAISSEUR DU CÔTÉ (mm)	30 + 30			
ESPACE D'EXPOSITION (m ²)	1,20	1,83	0,60	0,92
VOLUME BRUT (lts.)	163	205	105	122
POWER (W)	8,35	5,50	5,00	3,00
CURRENT (A)	0,04	0,03	0,02	0,01
TENSION / FRÉQUENCE	220V / 50Hz			
DIMENSIONS POUR TRANSPORTS (mm) (L X W x H)	1395 x 1395 x 1250	2475 x 1235 x 1250	1215 x 1215 x 1250	1215 x 1215 x 1250

DONNÉES D'INSTALLATION

ÉLEVATION



PLANTE

